



## WEBBING SLINGS

### WEBBING SLINGS; EYES IN BOTH ENDS

- double layer lifting slings
- reinforced eyes
- available also without eye reinforcement
- material 100% polyester
- safety factor 7 : 1
- CE marking and color code



WLL	500 KG	1000 KG	2000 KG	3000 KG
Color	white	violet	green	yellow
Width	25 mm	50 mm	60 mm	90mm

**PRODUCT CODE**

**Length**

1 m	SNV0501	SNV101	SNV201	SNV301
2 m	SNV0502	SNV102	SNV202	SNV302
3 m	SNV0503	SNV103	SNV203	SNV303
4 m	SNV0504	SNV104	SNV204	SNV304
5 m	SNV0505	SNV105	SNV205	SNV305
6 m	SNV0506	SNV106	SNV206	SNV306
8 m	SNV0508	SNV108	SNV208	SNV308
10 m	SNV0510	SNV110	SNV210	SNV310

WLL	4000 KG	6000 KG	8000 KG	10000 KG
Color	grey	brown	blue	orange
Width	120mm	180 mm	240 mm	300 mm

**PRODUCT CODE**

**Length**

2 m	SNV402	SNV602	SNV802	SNV1002
3 m	SNV403	SNV603	SNV803	SNV1003
4 m	SNV404	SNV604	SNV804	SNV1004
5 m	SNV405	SNV605	SNV805	SNV1005
6 m	SNV406	SNV606	SNV806	SNV1006
8 m	SNV408	SNV608	SNV808	SNV1008
10 m	SNV410	SNV610	SNV810	SNV1010

Last number(s) are/is length code.



For example product code for 3000 kg 12m webbing strop is **SNV312**

Thanks to our own production unit we can offer also different types, length and WLL 's in very short delivery time. All strops are produced according to the EU standards

## WEBBING SLINGS

### WEBBING SLINGS; EYES IN BOTH ENDS SINGLE

- extra wide bodied slings
- perfect in places where is necessary, that the pressure is minimal for the thing that you lift, for example lifting of boats
- reinforced eyes in standard
- available also without eye reinforcement
- material 100% polyester
- safety factor 7 : 1
- CE marking



WLL	1000 KG	2000 KG	3000 KG	4000 KG	5000 KG
Colour	green	yellow	gray	blue	orange
Width mm	60	120	180	240	300

PRODUCT CODE					
Length					
1 m	SNVY101	SNVY201	SNVY301	SNVY401	
2 m	SNVY102	SNVY202	SNVY302	SNVY402	SNVY502
3 m	SNVY103	SNVY203	SNVY303	SNVY403	SNVY503
4 m	SNVY104	SNVY204	SNVY304	SNVY404	SNVY504
5 m	SNVY105	SNVY205	SNVY305	SNVY405	SNVY505
6 m	SNVY106	SNVY206	SNVY306	SNVY406	SNVY506
8 m	SNVY108	SNVY208	SNVY308	SNVY408	SNVY508
10 m	SNVY110	SNVY210	SNVY310	SNVY410	SNVY510

Last number(s) are/is length code.



For example product code for 3000 kg 12m webbing strop is **SNVY312**

Thanks to our own production unit we can offer also different types, length and WLL 's in very short delivery time. All strops are produced according to the EU standards

# WEBBING SLINGS

## WEBBING SLINGS SECUTEX

- double layer lifting slings covered with special plastic
- "long life" slings
- for lifting of sharp-edged things without special corner protectors
- reinforced eyes
- available also partially covered strops
- material 100% polyester
- safety factor 7 : 1
- CE marking



WLL	2000 KG	3000 KG	4000 KG
Colour	green	yellow	gray
Width	80 mm	100 mm	130 mm
PRODUCT CODE			
Length			
1 m	SNVS201	SNVS301	SNVS401
2 m	SNVS202	SNVS302	SNVS402
3 m	SNVS203	SNVS303	SNVS403
4 m	SNVS204	SNVS304	SNVS404
5 m	SNVS205	SNVS305	SNVS405
6 m	SNVS206	SNVS306	SNVS406
8 m	SNVS208	SNVS308	SNVS408
10 m	SNVS210	SNVS310	SNVS410

Last number(s) are/is length code.

For example product code for 3000 kg 12m webbing strop is **SNVS312**

**Delivery time appr. 3 –4 weeks after the order**

**Also available Secutex webbing strops with higher WLL**

All Secutex webbing strops are produced according to EU standards

## WEBBING SLINGS


### WEBBING SLINGS WITH HOOK FOR CHOKE HITCH

- webbing strops with special hook, that tight automatic when lifting
- material 100% polyester
- safety factor 7 : 1 (strop) ja 4 : 1 (hook)
- CE marking

WLL	1600 KG	2200 KG
Colour	green	yellow
Width	60 mm	75 mm

PRODUCT CODE		
Length		
1 m	NVK1601	NVK2201
2 m	NVK1602	NVK2202
3 m	NVK1603	NVK2203
4 m	NVK1604	NVK2204
5 m	NVK1605	NVK2205
6 m	NVK1606	NVK2206
8 m	NVK1608	NVK2208
10 m	NVK1610	NVK2210





Last number(s) are/is length code.  
 For example product code for 1600 kg 12m is **NVK1612**

All strops are produced according to EU standards

# WEBBING SLINGS

## ENDLESS WEBBING SLINGS

- one layer endless slings
- also available double layer, the WLL will be then double with the same width of sling
- material 100% polyester
- safety factor 7 : 1
- CE marking and colorcode



Att!!! Length of circumference

WLL	500 KG	1000 KG	2000 KG	3000 KG
Colour	white	violett	green	yellow
Width	25 mm	50 mm	60 mm	90 mm

**PRODUCT CODE**

Circumference				
1 m	UNV0501	UNV101	UNV201	UNV301
2 m	UNV0502	UNV102	UNV202	UNV302
3 m	UNV0503	UNV103	UNV203	UNV303
4 m	UNV0504	UNV104	UNV204	UNV304
5 m	UNV0505	UNV105	UNV205	UNV305
6 m	UNV0506	UNV106	UNV206	UNV306
8 m	UNV0508	UNV108	UNV208	UNV308
10 m	UNV0510	UNV110	UNV210	UNV310

WLL	4000 KG	6000 KG	8000 KG	10000 KG
Colour	grey	brown	blue	orange
Width	120 mm	180 mm	240 mm	300 mm

**PRODUCT CODE**

Circumference				
2 m	UNV402	UNV602	UNV802	UNV1002
3 m	UNV403	UNV603	UNV803	UNV1003
4 m	UNV404	UNV604	UNV804	UNV1004
5 m	UNV405	UNV605	UNV805	UNV1005
6 m	UNV406	UNV606	UNV806	UNV1006
8 m	UNV408	UNV608	UNV808	UNV1008
10 m	UNV410	UNV610	UNV810	UNV1010


Last number(s) are/is length code.  
For example product code for 3000 kg 12m is **UNV312**

Thanks to our own production unit we can offer also different types, length and WLL 's in very short delivery time. All stops are produced according to the EU standards

# WEBBING SLINGS

## WEBBING SLINGS FOR HEAVY INDUSTRY

- extra wide webbing slings for extra heavy loads in machine industry
- excellent for targets that need minimum surface pressure
- reinforced eyes
- elongation at max WLL appr. 5 %
- material 100% polyester
- safety factor 7 : 1
- CE marking



WLL	14000 KG	22000 KG	35000 KG	40000 KG
Width B	600 mm	450 mm	600 mm	1000 mm
Eye A	150 mm	110 mm	150 mm	400 mm
<b>PRODUCT CODE</b>				
<b>Length</b>				
2 m		NOM2202		
3 m	NOM1403	NOM2203	NOM3503	NOM4003
4 m	NOM1404	NOM2204	NOM3504	NOM4004
5 m	NOM1405	NOM2205	NOM3505	NOM4005
6 m	NOM1406	NOM2206	NOM3506	NOM4006
8 m	NOM1408	NOM2208	NOM3508	NOM4008
10 m	NOM1410	NOM2210	NOM3510	NOM4010

Last number(s) are/is length code.  
 For example product code for 22000 kg 12m is **NOM2212**


**Delivery time appr. 4 weeks after the order**

All slings are produced according to the EU standards

# ROUNDSLINGS

## ROUNDSLINGS

- roundsling, protected with strong fabric, for lifting of everything
- also available with double cover
- material 100% polyester
- safety factor 7 : 1
- CE marking and colour code



WLL	1000 KG	2000 KG	3000 KG	4000 KG	5000 KG	6000 KG
Colour	violet	green	yellow	grey	red	brown
Width ca	25 mm	30 mm	40 mm	45 mm	50mm	55mm

**PRODUCT CODE**

**Circumference**

	PÄR101	PÄR201	PÄR301	PÄR401	PÄR501	PÄR601
1 m	PÄR101	PÄR201	PÄR301	PÄR401	PÄR501	PÄR601
2 m	PÄR102	PÄR202	PÄR302	PÄR402	PÄR502	PÄR602
3 m	PÄR103	PÄR203	PÄR303	PÄR403	PÄR503	PÄR603
4 m	PÄR104	PÄR204	PÄR304	PÄR404	PÄR504	PÄR604
5 m	PÄR105	PÄR205	PÄR305	PÄR405	PÄR505	PÄR605
6 m	PÄR106	PÄR206	PÄR306	PÄR406	PÄR506	PÄR606
8 m	PÄR108	PÄR208	PÄR308	PÄR408	PÄR508	PÄR608
10 m	PÄR110	PÄR210	PÄR310	PÄR410	PÄR510	PÄR610
12 m	PÄR112	PÄR212	PÄR312	PÄR412	PÄR512	PÄR612

WLL	8000 KG	10000 KG	15000 KG	20000 KG	25000 KG	30000 KG
Colour	blue	orange	orange	orange	orange	orange
Width ca	60 mm	65 mm	75 mm	85 mm	95mm	100mm

**PRODUCT CODE**

**Circumference**

	PÄR802	PÄR1002				
2 m	PÄR802	PÄR1002				
3 m	PÄR803	PÄR1003	*PÄR1503	*PÄR2003		
4 m	PÄR804	PÄR1004	*PÄR1504	*PÄR2004	*PÄR2504	*PÄR3004
5 m	PÄR805	PÄR1005	*PÄR1505	*PÄR2005	*PÄR2505	*PÄR3005
6 m	PÄR806	PÄR1006	*PÄR1506	*PÄR2006	*PÄR2506	*PÄR3006
8 m	PÄR808	PÄR1008	*PÄR1508	*PÄR2008	*PÄR2508	*PÄR3008
10 m	PÄR810	PÄR1010	*PÄR1510	PÄR2010	*PÄR2510	*PÄR3010
12 m	PÄR812	PÄR1012	*PÄR1512	PÄR2012	*PÄR2512	*PÄR3012

\* Products marked with star are not stock articles

Last number(s) are/is length code.

For example product code for 3000 kg 16m roundsling is **PÄR316**


**At order also available different lengths and higher WLL**

All strops are produced according to EU standards

# ROUNDSLINGS

## ROUNDSLINGS WITH SAFETY HOOKS

- 1- , 2- , 3- and 4-legs
- for lifting of everything
- lighter than the chain strop
- material 100% polyester
- safety factor 7 : 1
- CE marking
- length starts at 1m , with higher WLL 2m



	WLL	WLL	Product code
	Lifting corner 0 - 90°	Lifting corner 90 - 120°	
<b>1-leg</b>	1000 KG		PRK1101
	2000 KG		PRK2101
	3000 KG		PRK3101
	5000 KG		PRK5101
	8000 KG		PRK8102
<b>2-legs</b>	1400 KG	1000 KG	PRK1201
	2800 KG	2000 KG	PRK2201
	4200 KG	3000 KG	PRK3201
	7000 KG	5000 KG	PRK5201
	11200 KG	8000 KG	PRK8202
<b>3-legs</b>	2100 KG	1500 KG	PRK1301
	4200 KG	3000 KG	PRK2301
	6300 KG	4500 KG	PRK3301
	10500 KG	7500 KG	PRK5301
	17000 KG	11800 KG	PRK8302
<b>4-legs</b>	2100 KG	1500 KG	PRK1401
	4200 KG	3000 KG	PRK2401
	6300 KG	4500 KG	PRK3401
	10500 KG	7500 KG	PRK5401
	17000 KG	11800 KG	PRK8402



For example product code for 1-leg 3000kg 1,5m strop is **PRK3101,5**

Available also with shackles and different hooks etc.

All strops are produced according to EU standards

## CORNER PROTECTORS

### CORNER PROTECTORS OF WEBBING FOR WEBBING STROPS


- material - 100% strong polyester

For webbing strop	Product code length 0,3m	Product code length 0,5m
500 KG	NVKS0503	NVKS0505
1000 KG	NVKS103	NVKS105
2000 KG	NVKS203	NVKS205
3000 KG	NVKS303	NVKS305
4000 KG	NVKS403	NVKS405
6000 KG	NVKS603	NVKS605
8000 KG	NVKS803	NVKS805
10000 KG	NVKS1003	NVKS1005

### CORNER PROTECTORS FOR ROUND SLINGS

- two types – corner protectors of sew polyester webbing or polyester sleeve sealed by velcro tape
- in case of velcro tape, corner protector is removable



For roundsling	Product code length 0,3m sew	Product code length 0,3m velcro tape
1000 KG	KSP103	KSPA103
2000 KG	KSP203	KSPA203
3000 KG	KSP303	KSPA303
4000 KG	KSP403	KSPA403
6000 KG	KSP603	KSPA603
8000 KG	KSP803	KSPA803
10000 KG	KSP1003	KSPA1003



### SECUTEX POLYURETAN CORNER PROTECTOR

- the best protection against damage or sharp edges
- max length 4 m

For webbing strops	Product code length 0,5 m
1000 KG	KSSE5005
2000 KG	KSSE6005
3000 KG	KSSE7505
4000 KG	KSSE10005
6000 KG	KSSE15005
8000 KG	*KSSE20005
10000 KG	*KSSE25005




- \* Products marked with star are not stock articles  
Other lengths also available

# CORNER PROTECTOR

## MAGNET CORNER PROTECTOR WITH JOINT

- for webbing strops and roundslings
- for different corners, fits well
- material – coloured light metal




Webbing strop width	Roundslings WLL	Product code
0 - 80 mm	1 - 8 T	KSMAG80S
0 - 150 mm	1 - 30 T	KSMAG150S

## MAGNET CORNER PROTECTOR FOR 90° CORNER

- ready for 90°
- thanks to magnet stays well on right place
- made of specially strong plastic

Webbing strop width mm	Roundslings WLL	Product code
0 - 25	1 - 2 T	KSMAG025
0 - 65	1 - 5 T	KSMAG065
0 - 75	1 - 8 T	KSMAG075
0 - 100	1 - 10 T	KSMAG100
0 - 150	1 - 25 T	KSMAG150
0 - 200	1 - 35 T	*KSMAG200
0 - 300	1 - 40 T	*KSMAG300



\* Products marked with star are not stock articles. Delivery time after order appr. 4 weeks