



## Round Slings r-PET recycled material

### Информация за продукта



Haklift round slings r-PET are made from high-strength **recycled** polyester (r-PET) yarn having a robust protective cover. Because it is made from r-PET yarn, this product **has up to 65% CO2 reduction\*** compared to the standard PRS round sling.

Because of this sustainability enhancement, this product is approved to be part of Lifting Solution Group's Aspire range™. In November 2023, this product won the prestigious LEEA Sustainable Award.

The PRS r-PET slings are color coded for quick and easy identification of the Working Load Limit (WLL).

- Safe – All r-PET slings are made from high-strength recycled polyester and tested in accordance with EN 1492-2
- Durable protective cover
- Each sling carries a blue label giving the correct WLL for different load connection methods and angles
- Each sling is marked with a unique serial number for safe sling registration
- Serial number is expressed both in a numeric format as well as Barcode for quick registration and maintenance
- Year/Month calendar printed on the label where the next inspection date can be marked or punched
- Printing on the blue label is protected by an additional transparent plastic layer for long life
- All round slings carry a white label showing a pictogram with important user warning instructions
- QR code for on-site access to Multilanguage user manuals
- Test certificate and Declaration of Conformity enclosed with each sling

**Chemical resistance:** Resistant to most acids, but not strong alkalizes.

**Stretch at working load:** 2-3%.

**Length tolerance:** Nominal length (EWL)  $\pm 2\%$ .

\*A 3rd party climate LCA with a cradle-to-gate perspective according to ISO14067 has shown that our r-PET round slings have up to 65% less CO2e emissions than our standard product. This means that our products are not only better for the environment but also make a positive contribution to reducing CO2 emissions.

**Маркировка:** CE - маркировка

| Продуктов номер | WLL<br>тон | Работна дължина<br>m | Цвят  | Тегло<br>кг | Delivery time |
|-----------------|------------|----------------------|-------|-------------|---------------|
| PAR101RPET      | 1          | 0,5                  | лилав | 0,2         | 10            |
| PAR102RPET      | 1          | 1                    | лилав | 0,35        | 10            |
| PAR103RPET      | 1          | 1,5                  | лилав | 0,66        | 10            |
| PAR104RPET      | 1          | 2                    | лилав | 0,7         | 10            |
| PAR105RPET      | 1          | 2,5                  | лилав | 0,85        | 10            |
| PAR106RPET      | 1          | 3                    | лилав | 1,05        | 10            |
| PAR108RPET      | 1          | 4                    | лилав | 1,3         | 10            |
| PAR110RPET      | 1          | 5                    | лилав | 1,4         | 10            |
| PAR112RPET      | 1          | 6                    | лилав | 1,95        | 10            |
| PAR201RPET      | 2          | 0,5                  | зелен | 0,3         | 10            |
| PAR202RPET      | 2          | 1                    | зелен | 0,55        | 10            |
| PAR203RPET      | 2          | 1,5                  | зелен | 0,75        | 10            |
| PAR204RPET      | 2          | 2                    | зелен | 1,05        | 10            |
| PAR205RPET      | 2          | 2,5                  | зелен | 1,3         | 10            |
| PAR206RPET      | 2          | 3                    | зелен | 1,45        | 10            |
| PAR208RPET      | 2          | 4                    | зелен | 1,95        | 10            |
| PAR210RPET      | 2          | 5                    | зелен | 2,45        | 10            |
| PAR212RPET      | 2          | 6                    | зелен | 2,65        | 10            |
| PAR301RPET      | 3          | 0,5                  | жълт  | 0,45        | 10            |
| PAR302RPET      | 3          | 1                    | жълт  | 0,6         | 10            |

|            |   |     |        |      |    |
|------------|---|-----|--------|------|----|
| PAR303RPET | 3 | 1,5 | жълт   | 1,05 | 10 |
| PAR304RPET | 3 | 2   | жълт   | 1,15 | 10 |
| PAR305RPET | 3 | 2,5 | жълт   | 1,65 | 10 |
| PAR306RPET | 3 | 3   | жълт   | 2,05 | 10 |
| PAR308RPET | 3 | 4   | жълт   | 2,6  | 10 |
| PAR310RPET | 3 | 5   | жълт   | 3,2  | 10 |
| PAR312RPET | 3 | 6   | жълт   | 3,7  | 10 |
| PAR402RPET | 4 | 1   | сив    | 1,3  | 10 |
| PAR403RPET | 4 | 1,5 | сив    | 1,4  | 10 |
| PAR404RPET | 4 | 2   | сив    | 1,85 | 10 |
| PAR406RPET | 4 | 3   | сив    | 2,45 | 10 |
| PAR408RPET | 4 | 4   | сив    | 3,65 | 10 |
| PAR410RPET | 4 | 5   | сив    | 4,35 | 10 |
| PAR412RPET | 4 | 6   | сив    | 5,45 | 10 |
| PAR501RPET | 5 | 0,5 | червен | 0,7  | 10 |
| PAR502RPET | 5 | 1   | червен | 1,1  | 10 |
| PAR503RPET | 5 | 1,5 | червен | 1,55 | 10 |
| PAR504RPET | 5 | 2   | червен | 2,4  | 10 |
| PAR505RPET | 5 | 2,5 | червен | 2,8  | 10 |
| PAR506RPET | 5 | 3   | червен | 3,1  | 10 |
| PAR508RPET | 5 | 4   | червен | 4,1  | 10 |
| PAR510RPET | 5 | 5   | червен | 5,2  | 10 |
| PAR512RPET | 5 | 6   | червен | 5,75 | 10 |

|             |    |   |         |      |    |
|-------------|----|---|---------|------|----|
| PAR604RPET  | 6  | 2 | кафяв   | 3,05 | 10 |
| PAR606RPET  | 6  | 3 | кафяв   | 3,7  | 10 |
| PAR608RPET  | 6  | 4 | кафяв   | 5,1  | 10 |
| PAR610RPET  | 6  | 5 | кафяв   | 6,1  | 10 |
| PAR612RPET  | 6  | 6 | кафяв   | 7,95 | 10 |
| PAR802RPET  | 8  | 1 | син     | 1,95 | 10 |
| PAR804RPET  | 8  | 2 | син     | 3,6  | 10 |
| PAR806RPET  | 8  | 3 | син     | 4,8  | 10 |
| PAR808RPET  | 8  | 4 | син     | 6,45 | 10 |
| PAR810RPET  | 8  | 5 | син     | 8,1  | 10 |
| PAR812RPET  | 8  | 6 | син     | 9,4  | 10 |
| PAR1004RPET | 10 | 2 | оранжев | 4,25 | 10 |
| PAR1006RPET | 10 | 3 | оранжев | 6,55 | 10 |
| PAR1008RPET | 10 | 4 | оранжев | 7,8  | 10 |
| PAR1010RPET | 10 | 5 | оранжев | 9,7  | 10 |
| PAR1012RPET | 10 | 6 | оранжев | 10,8 | 10 |