



## Round Slings r-PET recycled material

### Информация за продукта



Haklift round slings r-PET are made from high-strength **recycled** polyester (r-PET) yarn having a robust protective cover. Because it is made from r-PET yarn, this product **has up to 65% CO2 reduction\*** compared to the standard PRS round sling.

Because of this sustainability enhancement, this product is approved to be part of Lifting Solution Group's Aspire range™. In November 2023, this product won the prestigious LEEA Sustainable Award.

The PRS r-PET slings are color coded for quick and easy identification of the Working Load Limit (WLL).

- Safe – All r-PET slings are made from high-strength recycled polyester and tested in accordance with EN 1492-2
- Durable protective cover
- Each sling carries a blue label giving the correct WLL for different load connection methods and angles
- Each sling is marked with a unique serial number for safe sling registration
- Serial number is expressed both in a numeric format as well as Barcode for quick registration and maintenance
- Year/Month calendar printed on the label where the next inspection date can be marked or punched
- Printing on the blue label is protected by an additional transparent plastic layer for long life
- All round slings carry a white label showing a pictogram with important user warning instructions
- QR code for on-site access to Multilanguage user manuals
- Test certificate and Declaration of Conformity enclosed with each sling

**Chemical resistance:** Resistant to most acids, but not strong alkalizes.

**Stretch at working load:** 2-3%.

**Length tolerance:** Nominal length (EWL)  $\pm 2\%$ .

\*A 3rd party climate LCA with a cradle-to-gate perspective according to ISO14067 has shown that our r-PET round slings have up to 65% less CO2e emissions than our standard product. This means that our products are not only better for the environment but also make a positive contribution to reducing CO2 emissions.

**Маркировка:** CE - маркировка

Продуктов номер	WLL тон
PAR101RPET	1
PAR102RPET	1
PAR103RPET	1
PAR104RPET	1
PAR105RPET	1
PAR106RPET	1
PAR108RPET	1
PAR110RPET	1
PAR112RPET	1
PAR201RPET	2
PAR202RPET	2
PAR203RPET	2
PAR204RPET	2
PAR205RPET	2
PAR206RPET	2
PAR208RPET	2
PAR210RPET	2
PAR212RPET	2
PAR301RPET	3
PAR302RPET	3

PAR303RPET	3
PAR304RPET	3
PAR305RPET	3
PAR306RPET	3
PAR308RPET	3
PAR310RPET	3
PAR312RPET	3
PAR402RPET	4
PAR403RPET	4
PAR404RPET	4
PAR406RPET	4
PAR408RPET	4
PAR410RPET	4
PAR412RPET	4
PAR501RPET	5
PAR502RPET	5
PAR503RPET	5
PAR504RPET	5
PAR505RPET	5
PAR506RPET	5
PAR508RPET	5
PAR510RPET	5
PAR512RPET	5

PAR604RPET	6
PAR606RPET	6
PAR608RPET	6
PAR610RPET	6
PAR612RPET	6
PAR802RPET	8
PAR804RPET	8
PAR806RPET	8
PAR808RPET	8
PAR810RPET	8
PAR812RPET	8
PAR1004RPET	10
PAR1006RPET	10
PAR1008RPET	10
PAR1010RPET	10
PAR1012RPET	10