



# Battery operated electric wire hoist for lifting and pulling 24 V

#### **Product information**

Light and easy to operate electrical winch for pulling and lifting. Stepless power control. Equipped with latch hook and overload indicator. 2 x powerfull 24V NiMh batteries and charger.

Note! Cable operating length 3.4 mtr

Features: Speed 2,5 m/min | Charging time 2 h

Marking: CE-marked

Note: No remote control available for the battery-operated hoist

Part code	WLL ton	Operation voltage (V)	Rope length m	Motor kW	Type of battery	Weight kg	Delivery time days
VANOS450A	0.45	24	4.6	0.75	2500 mAh	9.7	1

## **Technical data / Spare Parts**

### **SPARE PARTS**

Spare part (product code)	Description	Suitable for hoist (product code)
VANOSVAI4,6	Wire rope 4,6 m   ø 5,8 mm, effective working length 3,4 m   Incl. drum	VANOS450A
VANOSAHIILI	Coal	VANOS450A
VANOSLATURI	Charger   Part no. 51	VANOS450A
VANOSAKKU	Battery   Part no. 27	VANOS450A
VANOSYKOU	Top swivel hook, incl. fasteners   Part no. 36	VANOS450A
VANOSAKOU	Bottom hook, incl. fasteners   Part no. 11	VANOS450A

## Blueprint

