



Electric pallet truck 1500 kg

Product information

Easy-to-use, lightweight, durable and compact size electric pallet truck. Equipped with electric lifting and manual lowering functions. Due to the stepless driving motor and small turning radius, the pallet truck is easy to use in narrow spaces and corridors. 20 Ah lithium battery ensures 3-6 hours of continuous operating time depending on the load. Separate charger enables charging of an additional battery during the use of the electric pallet truck, which makes it possible to use the device continuously the necessary time. Charging time of the battery is only 3 hours and the interchange can be executed in 10 seconds. Carbon brushless motor ensures carefree use and fast maintenance.

Product code of extra battery: **HAVA1200ELEAKKU**

Content of the delivery:

- Electric pallet truck
- 1 pcs battery 48V / 20 Ah
- 1 pcs charger

Material: Steel
Marking: CE-marked
Temperature range: -10°C - (+)40°C

Part Code	WLL ton	Width of forks mm	Lenght of forks mm	Minimum height of fork mm	Motor kW	Lifting motor Output (kW)	Max. lifting height mm	Type of battery	Weight kg	Delivery time
HAVA1500ELE	1.5	550	1,150	80	0,65	0.8	110	Litium 48V / 20 Ah	136	-
HAVA1200ELEAKKU	-	-	-	-	-	-	-	Litium 48V / 20 Ah	-	0

Technical data

DIMENSIONS

Load center distance	C (mm)	600
Fork height	h13(mm)	80
Axle distance	Y(mm)	1269
Wheels		PU
Wheel diameter front	Ø (mm)	250
Wheel diameter rear	Ø (mm)	80
Pushing handle min. and max. heights	h14 (mm)	635/1200
Overall length	l1 (mm)	1651
Frame length before forks	l2 (mm)	501
Overall width	b1 (mm)	550
Fork dimensions	s/e/l (mm)	45/160/1150
Fork width	b5 (mm)	550
Fork distance from the floor	h13 (mm)	35
Turning radius	mm	1452
Speed, laden / unladen	Km/h	4 / 4.5
Max. slope angle laden / unladen	%	3 / 8
Parking brake		Electronic
Noise level	dB	70

Blueprint

