# Hand chain blocks

**Product information**



Haklift Chain Block is a hoist of high quality, it is durable and easy to operate using the ergonomic hand chain. The maximum workload is achieved with a fairly low manual force. The standard lifting heights are 3 m and 6 m. Other lifting heights are also available with fast delivery time from stock.

**Features:**

- Each hoist is dynamic proof load tested 1,5 x WLL before leaving the factory
- Compact, lightweight construction.
- Sprocket wheel equipped with needle bearings and drive shaft supported by needle bearing and slide bearing inside to ensure smooth and efficient operation
- Safe, well covered automatic load reaction brake
- Equipped with 2 brake pawls and 4 brake springs (double safety compared to EN 13157 requirement)
- The unique surface treatment gives excellent corrosion protection and low operating volume
- Swivel hooks at both ends makes in line positioning easy
- Hooks are designed to open at overload instead of breaking
- Hooks fitted with heavy duty steel safety latches
- Hook have Deformation Check Dots forged into side for overload detection
- RFID equipped (chip) for easy service and inspection, HF -13,56 Mhz
- Test certificate and Declaration of Conformity enclosed with each hoist
- Spare parts available
- Can be supplied with overload protection (OLP) device.
- Other lifting heights are also available upon request
- Length of the hand chain is always the same as the lifting height

... *Read more*

**Material:** Durable all steel construction
**Marking:** According to standard, CE-mark
**Finish:** Orange powder coated body and plated frame components
**Standard:** EN 13157
**Note:** RFID equipped


**NOTE**: ALSO AVAILABLE WITH OVERLOAD PROTECTION 500 - 10.000 KG (Y-letter to the end of the product code)

**Haklift Oy**
sales@haklift.com
+358 2 511 5511

© November 2026 - All Rights Reserved

# Hand chain blocks

## Blueprint




## Technical data / Spare Parts

| Part code | WLL ton | Lifting height m | Number of falls | Load chain mm | A mm | B mm | C mm | D mm | H mm | Weight kg |
|---|---|---|---|---|---|---|---|---|---|---|
| KTHA250 | 0.25 | 3 | 1 | 4 x 12 | 108 | 106 | 20 | 30 | 260 | 6.5 |
| KTHA2506 | 0.25 | 6 | 1 | 4 x 12 | 108 | 106 | 20 | 30 | 260 | 7.55 |
| KTHA500 | 0.5 | 3 | 1 | 5 x 15 | 130 | 128 | 22 | 34 | 280 | 9.8 |
| KTHA5006 | 0.5 | 6 | 1 | 5 x 15 | 130 | 128 | 22 | 34 | 280 | 11.4 |
| KTHA1000 | 1 | 3 | 1 | 6,3 x 19 | 150 | 142 | 26 | 39 | 330 | 13.3 |
| KTHA10006 | 1 | 6 | 1 | 6,3 x 19 | 150 | 142 | 26 | 39 | 330 | 15.9 |
| KTHA2000 | 2 | 3 | 1 | 8 x 24 | 185 | 175 | 35 | 49 | 385 | 22.1 |
| KTHA20006 | 2 | 6 | 1 | 8 x 24 | 185 | 175 | 35 | 49 | 385 | 25.3 |
| KTHA3000 | 3 | 3 | 2 | 7,1 x 21 | 220 | 158 | 37 | 50 | 510 | 27.3 |
| KTHA30006 | 3 | 6 | 2 | 7,1 x 21 | 220 | 158 | 37 | 50 | 510 | 33.9 |
| KTHA5000 | 5 | 3 | 2 | 9 x 27 | 255 | 183 | 43 | 60 | 615 | 42.4 |
| KTHA50006 | 5 | 6 | 2 | 9 x 27 | 255 | 183 | 43 | 60 | 615 | 53.2 |
| KTHA10000 | 10 | 6 | 4 | 9 x 27 | 360 | 183 | 47 | 65 | 820 | 115.4 |
| KTHA20000 | 20 | 8 | 8 | 9 x 27 | 577 | 183 | 75 | 90 | 1,060 | 200 |

## SPARE PARTS

| Spare part (product code) | Description | Suitable for hoist (product code/-s) |
|---|---|---|
| KTHA250AKO | Bottom hook | KTHA250, KTHA2506 |
| KTHA250YKO | Top hook | KTHA250, KTHA2506 |
| KTHA250JAR | Brake disc set (2 discs) | KTHA250, KTHA2506 |

**Haklift Oy**
sales@haklift.com
+358 2 511 5511

© November 2026 - All Rights Reserved

# Hand chain blocks

| | | |
|---|---|---|
| KTHA250SAL | Latch kit (includes latches for both hooks) | KTHA250, KTHA2506 |
| | | |
| KTHA500AKO | Bottom hook | KTHA500, KTHA5006 |
| KTHA500YKO | Top hook | KTHA500, KTHA5006 |
| KTHA500JAR | Brake disc set (2 discs) | KTHA500, KTHA5006 |
| KTHA500SAL | Latch kit (includes latches for both hooks) | KTHA500, KTHA5006 |
| | | |
| KTHA1000AKO | Bottom hook | KTHA1000, KTHA10006 |
| KTHA1000YKO | Top hook | KTHA1000, KTHA10006 |
| KTHA1000JAR | Brake disc set (2 discs) | KTHA1000, KTHA10006 |
| KTHA1000SAL | Latch kit (includes latches for both hooks) | KTHA1000, KTHA10006 |
| | | |
| KTHA2000AKO | Bottom hook | KTHA2000, KTHA20006 |
| KTHA2000YKO | Top hook | KTHA2000, KTHA20006 |
| KTHA2000JAR | Brake disc set (2 discs) | KTHA2000, KTHA20006 |
| KTHA2000SAL | Latch kit (includes latches for both hooks) | KTHA2000, KTHA20006 |
| | | |
| KTHA3000AKO | Bottom hook | KTHA3000, KTHA30006 |
| KTHA3000YKO | Top hook | KTHA3000, KTHA30006 |
| KTHA3000JAR | Brake disc set (2 discs) | KTHA3000, KTHA30006 |
| KTHA3000SAL | Latch kit (includes latches for both hooks) | KTHA3000, KTHA30006 |
| | | |
| KTHA5000AKO | Bottom hook | KTHA5000, KTHA50006 |
| KTHA5000YKO | Top hook | KTHA5000, KTHA50006 |

**Haklift Oy**
sales@haklift.com
+358 2 511 5511
© November 2026 - All Rights Reserved

# Hand chain blocks

| | | |
|---|---|---|
| KTHA5000JAR | Brake disc set (2 discs) | KTHA5000, KTHA50006 |
| KTHA5000SAL | Latch kit (includes latches for both hooks) | KTHA5000, KTHA50006 |
| | | |
| KTHKK | Hand chain \| 5 x 23.6 mm \| Packed in 50 m bundles | All models |
| KTHKKJP | Connecting link for hand chain 5 x 23.6 mm | All models / KTHKK |
| TALKE412 | Hoist chain \| 4 x 12 mm | KTHA250, KTHA2506 |
| TALKE515 | Hoist chain \| 5 x 15 mm | KTHA500, KTHA5006 |
| TALKE6319 | Hoist chain \| 6,3 x 19 mm | KTHA1000, KTHA10006 |
| TALKE824 | Hoist chain \| 8 x 24 mm | KTHA2000, KTHA20006 |
| TALKE7121 | Hoist chain \| 7,1 x 21 mm | KTHA3000, KTHA30006 |
| TALKE927 | Hoist chain \| 9 x 27 mm | KTHA5000, KTHA50006, KTHA10000, KTHA20000 |
| | | |

Also other spare parts available with a delivery time, ask our sales for more information

**Haklift Oy**
sales@haklift.com
+358 2 511 5511

© November 2026 - All Rights Reserved