



Hand chain blocks

Product information

Haklift Chain Block is a hoist of high quality, it is durable and easy to operate using the ergonomic hand chain. The maximum workload is achieved with a fairly low manual force. The standard lifting heights are 3 m and 6 m. Other lifting heights are also available with fast delivery time from stock.

Features:

- Each hoist is dynamic proof load tested 1,5 x WLL before leaving the factory
- Compact, lightweight construction.
- Sprocket wheel equipped with needle bearings and drive shaft supported by needle bearing and slide bearing inside to ensure smooth and efficient operation
- Safe, well covered automatic load reaction brake
- Equipped with 2 brake pawls and 4 brake springs (double safety compared to EN 13157 requirement)
- · The unique surface treatment gives excellent corrosion protection and low operating volume
- · Swivel hooks at both ends makes in line positioning easy
- · Hooks are designed to open at overload instead of breaking
- · Hooks fitted with heavy duty steel safety latches
- · Hook have Deformation Check Dots forged into side for overload detection
- RFID equipped (chip) for easy service and inspection, HF -13,56 Mhz
- · Test certificate and Declaration of Conformity enclosed with each hoist
- Spare parts available
- Can be supplied with overload protection (OLP) device.
- · Other lifting heights are also available upon request
- Length of the hand chain is always the same as the lifting height

Material: Durable all steel construction Marking: According to standard, CE-marked Finish: Orange powder coated body and plated frame components Standard: EN 13157 Note: RFID equipped

NOTE: ALSO AVAILABLE WITH OVERLOAD PROTECTION 500 - 10.000 KG (Y-letter to the end of the product code)

Part code	WLL ton	Lifting height m	Number of falls	Load chain mm	A mm	B mm	C mm	D mm	H mm	Weight kg	Delivery time days
KTHA250	0.25	3	1	4 x 12	108	106	20	30	260	6.5	1
KTHA2506	0.25	6	1	4 x 12	108	106	20	30	260	7.55	1
KTHA500	0.5	3	1	5 x 15	130	128	22	34	280	9.8	1
KTHA5006	0.5	6	1	5 x 15	130	128	22	34	280	11.4	1
KTHA1000	1	3	1	6,3 x 19	150	142	26	39	330	13.3	1
KTHA10006	1	6	1	6,3 x 19	150	142	26	39	330	15.9	1
KTHA2000	2	3	1	8 x 24	185	175	35	49	385	22.1	1
KTHA20006	2	6	1	8 x 24	185	175	35	49	385	25.3	1
KTHA3000	3	3	2	7,1 x 21	220	158	37	50	510	27.3	1
KTHA30006	3	6	2	7,1 x 21	220	158	37	50	510	33.9	1
KTHA5000	5	3	2	9 x 27	255	183	43	60	615	42.4	1
KTHA50006	5	6	2	9 x 27	255	183	43	60	615	53.2	1
KTHA10000	10	6	4	9 x 27	360	183	47	65	820	115.4	1
KTHA20000	20	8	8	9 x 27	577	183	75	90	1,060	200	1

Technical data / Spare Parts

SPARE PARTS

Spare part (product code)	Description	Suitable for hoist (product code/-s)		
KTHA250AKO	Bottom hook	KTHA250, KTHA2506		
KTHA250YKO	Top hook	KTHA250, KTHA2506		

KTHA250JAR	Brake disc set (2 discs)	KTHA250, KTHA2506
KTHA250SAL	Latch kit (includes latches for both hooks)	KTHA250, KTHA2506
KTHA500AKO	Bottom hook	KTHA500, KTHA5006
KTHA500YKO	Top hook	KTHA500, KTHA5006
KTHA500JAR	Brake disc set (2 discs)	KTHA500, KTHA5006
KTHA500SAL	Latch kit (includes latches for both hooks)	KTHA500, KTHA5006
KTHA1000AKO	Bottom hook	KTHA1000, KTHA10006
KTHA1000YKO	Top hook	KTHA1000, KTHA10006
KTHA1000JAR	Brake disc set (2 discs)	KTHA1000, KTHA10006
KTHA1000SAL	Latch kit (includes latches for both hooks)	KTHA1000, KTHA10006
KTHA2000AKO	Bottom hook	KTHA2000, KTHA20006
KTHA2000YKO	Top hook	KTHA2000, KTHA20006
KTHA2000JAR	Brake disc set (2 discs)	KTHA2000, KTHA20006
KTHA2000SAL	Latch kit (includes latches for both hooks)	KTHA2000, KTHA20006
KTHA3000AKO	Bottom hook	KTHA3000, KTHA30006
KTHA3000YKO	Top hook	KTHA3000, KTHA30006
KTHA3000JAR	Brake disc set (2 discs)	KTHA3000, KTHA30006
KTHA3000SAL	Latch kit (includes latches for both hooks)	KTHA3000, KTHA30006

Bottom hook

KTHA5000. KTHA50006

KTHA5000AKO

Also other spare parts available with a delivery time, ask our sales for more information

Blueprint

