

Clevis sling hook with latch , grade 100

Product information



Hook is equipped with spring loaded safety latch. Attachment directly to the chain with clevis link.

... [Read more](#)

Material: Steel

Marking: CE-marked

Temperature range: -40 - (+)200°C / 400°C = WLL 75%

Finish: Painted, blue


Warning: Not to be heat-treated

Safety factor: 4:1

Grade: 10

Clevis sling hook with latch , grade 100

Blueprint



Technical data / Spare Parts

Part code	WLL ton	For chain Ø mm	P1 mm	H mm	K mm	Weight kg
SALKAH1006	1.4	6	18	21	75	0.33
SALKAH1078	2.5	8	25	27	85	0.7
SALKAH1010	4	10	28	33	104	1.3
SALKAH1013	6.7	13	38	42	128	2.3
SALKAH1016	10	16	44	50	150	3.6
SALKAH1020	16	20	52	56	180	7.3
SALKAH1022	19	22	66	62	213	12.1

SPARE PARTS

Spare part set (product code) | Inc. latch, spring and pin/nut

Fits the hook (product code)

SALKAHVO1006S	SALKAH1006
SALKAHVO1078S	SALKAH1078
SALKAHVO1010S	SALKAH1010
SALKAHVO1013S	SALKAH1013
SALKAHVO1016S	SALKAH1016
SALKAHVO1020S	SALKAH1020
SALKAHVO1022S	SALKAH1022

Clevis sling hook with latch , grade 100
