



## Clevis sling hook with latch , grade 100

### Product information

Hook is equipped with spring loaded safety latch. Attachment directly to the chain with clevis link.

**Material:** Steel

**Marking:** CE-marked

**Temperature range:** -40 - (+)200°C / 400°C = WLL 75%

**Finish:** Painted, blue

**Warning:** Not to be heat-treated

**Safety factor:** 4:1

**Grade:** 10

Part code	WLL ton	For chain Ø mm	P1 mm	H mm	K mm	Weight kg	Delivery time days
SALKAH1006	1.4	6	18	21	75	0.33	1
SALKAH1078	2.5	8	25	27	85	0.7	1
SALKAH1010	4	10	28	33	104	1.3	1
SALKAH1013	6.7	13	38	42	128	2.3	1
SALKAH1016	10	16	44	50	150	3.6	1
SALKAH1020	16	20	52	56	180	7.3	1
SALKAH1022	19	22	66	62	213	12.1	1

## Technical data / Spare Parts

### SPARE PARTS

Spare part set (product code)   Inc. latch, spring and pin/nut	Fits the hook (product code)
SALKAHVO1006S	SALKAH1006
SALKAHVO1078S	SALKAH1078
SALKAHVO1010S	SALKAH1010
SALKAHVO1013S	SALKAH1013
SALKAHVO1016S	SALKAH1016
SALKAHVO1020S	SALKAH1020
SALKAHVO1022S	SALKAH1022

# Blueprint

