



Eye self-locking hook with swivel, grade 100

Product information

Due to the swivel the hook is easy to align into the wanted direction. The hook locks automatically when lifting starts.

Material: Steel

Marking: CE-marked

Temperature range: -40 - (+)200°C / 400°C = WLL 75%

Finish: Painted, blue

Warning: Not to be heat-treated

Safety factor: 4:1

Grade: 10

Part code	WLL ton	For chain Ø mm	B mm	C mm	D mm	E mm	H mm	M mm	L	Weight kg	Delivery time days
VAKAL106	1.4	6	32	23	11	28	20	70	184	0.6	1
VAKAL1078	2.5	8	36	28	13	35	26	90	229	1.1	1
VAKAL1010	4	10	42	35	15	45	30	108	269	2	14
VAKAL1013	6.7	13	50	40	17	53	40	138	330	4	1
VAKAL1016	10	16	61	56	21	62	50	170	413	6.8	1
VAKAL1020	16	20	72	62	26	76	62	192	463	12.5	1
VAKAL1022	19	22	97	95	33	80	63	-	553	19.4	14

Technical data / Spare Parts

SPARE PARTS

Spare part (product code)	Description	Suitable for ABT hook (product code)
VAKVO6S	Spare part set 6 mm Incl. trigger, spring, pin	VAKAL106
VAKVO78S	Spare part set 7/8 mm Incl. trigger, spring, pin	VAKAL1078
VAKVO10S	Spare part set 10 mm Incl. trigger, spring, pin	VAKAL1010
VAKVO13S	Spare part set 13 mm Incl. trigger, spring, pin	VAKAL1013
VAKVO16S	Spare part set 16 mm Incl. trigger, spring, pin	VAKAL1016
VAKVO20S	Spare part set 20 mm Incl. trigger, spring, pin	VAKAL1020

Warning: If you notice that the design of the spare part trigger differs from the original, please contact the supplier - do not try to force it into place, as this may compromise the safe operation of the hook

Blueprint

