



Eye self-locking hook, grade 100

Product information

The hook locks automatically when lifting starts.

Material: Steel

Marking: CE-marked

Temperature range: -40 - (+)200°C / 400°C = WLL 75%

Finish: Painted, blue

Warning: Not to be heat-treated

Safety factor: 4:1

Grade: 10

Part code	WLL ton	For chain Ø mm	A mm	P mm	H mm	K mm	Weight kg	Delivery time days
VAKA106	1.4	6	21	28	20	110	0.5	1
VAKA1078	2.5	8	27	35	26	137	0.9	1
VAKA1010	4	10	34	45	30	169	1.5	14
VAKA1013	6.7	13	40	53	40	209	2.7	1
VAKA1016	10	16	50	62	50	254	5.7	1
VAKA1020	16	20	60	76	62	277	7.9	1
VAKA1022	19	22	70	80	66	319	11.2	1

Technical data / Spare Parts

SPARE PARTS

Spare part (product code)	Description	Suitable for ABT hook (product code)
VAKVO6S	Spare part set 6 mm Incl. trigger, spring, pin	VAKA106
VAKVO78S	Spare part set 7/8 mm Incl. trigger, spring, pin	VAKA1078
VAKVO10S	Spare part set 10 mm Incl. trigger, spring, pin	VAKA1010
VAKVO13S	Spare part set 13 mm Incl. trigger, spring, pin	VAKA1013
VAKVO16S	Spare part set 16 mm Incl. trigger, spring, pin	VAKA1016
VAKVO20S	Spare part set 20 mm Incl. trigger, spring, pin	VAKA1020
VAKVO22S	Spare part set 22 mm Incl. trigger, spring, pin	VAKA1022

Warning: If you notice that the design of the spare part trigger differs from the original, please contact the supplier - do not try to force it into place, as this may compromise the safe operation of the hook

Blueprint

