

## Magnetic lifting clamps



### Product information

Durable magnet clamps for lifting plates, pipes and round steel bars. Small and easy to use. Due to the joint lifting eye, improved durability and stability of the item to be lifted. Rubber coated handle is comfortable to use.

#### Safety factors

- 100 - 300 kg clamps: 3.5:1
- 600 - 2,000 kg clamps: 3:1

**Material:** Steel

**Marking:** According to standard, CE-marked

**Temperature range:** -40 - (+) 80 °C

**Finish:** Painted, yellow

**Standard:** EN 13155

**Note:** Handles also available as a spare part

**Warning:** Not to be heat-treated

Part code	WLL ton	WLL round materials t	B mm	H mm	L mm	R mm	Weight kg	Delivery time days
MAGPML100	0.1	0.04	62	67	92	126	3	1
MAGPML300	0.3	0.125	92	88	158	150	10	1
MAGPML600	0.6	0.25	122	113	228	186	24	1
MAGPML1000	1	0.4	176	158	258	282	37	1
MAGPML2000	2	0.75	234	206	378	374	85	14

## Technical data / Spare Parts

### MIN. PLATE AND BAR MATERIAL THICKNESSES

Product code	Min. plate thickness mm	Min. bar diameter mm
MAGPML100	30	55
MAGPML300	40	70
MAGPML600	50	80
MAGPML1000	60	90
MAGPML2000	70	100

### SPARE PARTS

Spare part (product code)	Description	Suitable for clamp (product code)
MAG100KAUV	Operating hand lever	MAGPML100
MAG300KAUV	Operating hand lever	MAGPML300
MAG600KAUV	Operating hand lever	MAGPML600
MAG1000KAUV	Operating hand lever	MAGPML1000
MAG2000KAUV	Operating hand lever	MAGPML2000
MAGPML100NS	Lifting shackle   Incl. bolt and fasteners	MAGPML100
MAGPML300NS	Lifting shackle   Incl. bolt and fasteners	MAGPML300
MAGPML600NS	Lifting shackle   Incl. bolt and fasteners	MAGPML600
MAGPML1000NS	Lifting shackle   Incl. bolt and fasteners	MAGPML1000
MAGPML2000NS	Lifting shackle   Incl. bolt and	MAGPML2000

fasteners

Also other spare parts available with a delivery time, ask our sales for more information

## Blueprint

