



Round slings assemblies 1-leg

Product information

Lighter alternative to a chain combination in, for example, transformer lifting without risk of insulator damage etc. Also available with self-locking hooks, rotating swivel hooks, shackles etc.

Features: RFID-ready

Material: 100% polyester

Marking: CE-marked

Temperature range: -40°C - +100 °C

Safety factor: 4:1

Part code	WLL ton	Length m	Delivery time days
PRK1101	1	1	5
PRK1101.5	1	1.5	5
PRK1102	1	2	5
PRK1102.5	1	2.5	5
PRK1103	1	3	5
PRK1104	1	4	5

PRK2101	2	1	5
PRK2101.5	2	1.5	5
PRK2102	2	2	5
PRK2102.5	2	2.5	5
PRK2103	2	3	5
PRK2104	2	4	5
PRK3101	3	1	5
PRK3101.5	3	1.5	5
PRK3102	3	2	5
PRK3102.5	3	2.5	5
PRK3103	3	3	5
PRK3104	3	4	5
PRK5101	5	1	5
PRK5101.5	5	1.5	5
PRK5102	5	2	5
PRK5102.5	5	2.5	5
PRK5103	5	3	5
PRK5104	5	4	5
PRK8102	8	2	5
PRK8102.5	8	2.5	5
PRK8103	8	3	5
PRK8104	8	4	5
PRK8105	8	5	5

