

Electro galvanized shackles DIN 82101

Product information

Electro galvanized shackles approved for lifting.

Material: Steel

Marking: CE-marked

Finish: Electro galvanized

Note: Also available as hot dip galvanized (0,4 - 50 t)

Safety factor: 5:1



Part code	WLL ton	Packing	d4 mm	b1 mm	d1 mm	d2 mm	h1 mm	Weight kg	Delivery time days
SAKD0100	0.1	50	5	7	4	5	15	0.017	1
SAKD0160	0.16	50	6	8	5	6	18	0.024	1
SAKD0250	0.25	50	8	11	7	8	24	0.054	1
SAKD0400	0.4	25	10	14	8	10	30	0.097	1
SAKD0630	0.6	25	12	17	10	12	36	0.18	1
SAKD1000	1	25	16	21	13	15	49	0.3	1
SAKD1600	1.6	25	20	27	17	19	61	0.57	1
SAKD2000	2	1	22	30	19	21	67	0.98	1
SAKD2500	2.5	1	24	33	21	23	73	1.3	1
SAKD3150	3	1	27	38	24	26	84	1.85	1
SAKD4000	4	1	30	42	27	29	91	2.53	1
SAKD5000	5	1	36	47	30	33	111	4	17
SAKD8000	8	1	45	60	38	41	140	7.9	7
SAKD10000	10	1	48	66	42	45	147	10	17
SAKD16000	16	1	60	81	52	55	185	19.2	7
SAKD20000	20	1	68	90	58	60	211	28	7

Blueprint

