



## Electro galvanized shackles with locking DIN 82101

### Product information

Electro galvanized shackles approved for lifting.

**Material:** Steel

**Marking:** CE-marked

**Finish:** Electro galvanized

**Note:** Also available hot dip galvanized models, ask for sales.

**Safety factor:** 5:1

Part code	WLL ton	Packing	d4 mm mm	b1 mm mm	d1 mm mm	d2 mm mm	h1mm mm	Weight kg	Delivery time days
SAKD0400L	0.4	25	10	14	8	19	30	0.097	7
SAKD0630L	0.6	25	12	17	10	21	36	0.18	7
SAKD1000L	1	25	16	21	13	23	49	0.3	1
SAKD1600L	1.6	25	20	27	17	26	61	0.57	1
SAKD2000L	2	1	22	30	19	29	67	0.98	7
SAKD2500L	2.5	1	24	33	21	33	73	1.3	7
SAKD3150L	3	1	27	38	24	37	84	1.85	7
SAKD4000L	4	1	30	42	27	41	91	2.53	1
SAKD5000L	5	1	36	47	30	45	111	4	1
SAKD6300L	6	1	39	53	34	55	120	5.3	1
SAKD8000L	8	1	45	60	38	60	140	7.9	1
SAKD10000L	10	1	48	66	42	65	147	10	7
SAKD16000L	16	1	60	81	52	75	185	19.2	7
SAKD20000L	20	1	68	90	58	80	211	28	7
SAKD25000L	25	1	72	100	63	-	221	34	7
SAKD32000L	32	1	80	110	70	-	246	49	7
SAKD40000L	40	1	90	125	80	-	276	75	7

# Blueprint

