Electric-hydraulic lifting tables 400V

Product information



The electro-hydraulic lifting table is an efficient solution for lifting, lowering, and ergonomically handling heavy loads in industrial facilities, warehouses, and production environments. Designed for permanent installation, it improves workplace ergonomics by reducing manual lifting. Its robust steel construction and reliable electro-hydraulic system ensure safe and smooth operation, even in demanding applications.

Especially suitable for

- Production and assembly lines
- Warehouses and logistics centres
- Loading and packing stations
- Workshops
- Ergonomic material handling in industrial environments

Product features

- Hand control pendant with lift and lower functions and an emergency stop button
- Equipped with a safety frame that prevents the table from lowering if an obstruction is detected
- Safety valve prevents the table from lowering in the event of a hydraulic hose failure
- Electro-hydraulic operation for a 400 V power supply
- Stable and durable steel construction for professional use
- Smooth and controlled lifting and lowering
- Designed for permanent installation
- Suitable for a wide range of material handling applications
- Supplied fully assembled without a power plug

... *Read more*


Material: Steel
Marking: According to standard, CE-mark
Finish: Painted, yellow
Standard: EN 1570
Note: Lifting time when loaded

Haklift Oy
sales@haklift.com
+358 2 511 5511

© November 2026 - All Rights Reserved

Electric-hydraulic lifting tables 400V

Blueprint



Technical data / Spare Parts


Part code	Table measures mm	Lifting times	Max load kg	Min height mm	Max height mm	L mm	B mm	L1 mm	B1 mm	H mm	Weight kg
NOSP1000H	1300 x 820	20-25	1,000	205	990	1,300	820	1,266	680	205 - 990	164
NOSP2000H	1600 x 1000	16-22	2,000	230	1,000	1,600	1,000	1,255	785	230 - 1000	270
NOSP4000H	2000 x 1200	30-40	4,000	240	1,050	2,000	1,200	1,600	930	240 - 1050	446

SPARE PARTS

Spare part (product code)	Description	Suitable for lift table (produc
NOSPHKAPULA	Hand control switch | Incl. cable and plug	NOSP1000H, NOSP2000H, N
NOSPBOX2	Electric control box/unit | New type, with steel connectors	NOSP1000H, NOSP2000H, N

Note: Suitable for lifting tables manufactured after (year) 2013
Also other spare parts available with a delivery time, ask our sales for more information

DIMENSIONS



Model	bottom plate, floor mounting holes (yellow) h3*w3	top plate, lifting eye holes (red) h2*w1-2	diameter of holes for floor fixing	the diameter of the holes in the lifting eyes	the t of th
NOSP1000H	1206*480 mm	1205*410 mm	16 mm	20 mm	4
NOSP2000H	1195*545 mm	the fixed head of a scissor w1: 1130*740 mm roller head of a scissor w2: 1130*440 mm	16 mm	20 mm	5
NOSP4000H	1500*630 mm	1500*540 mm	16 mm	20 mm	5
NOSP1000HL	1206*480 mm	1205*410 mm	16 mm	20 mm	4

Haklift Oy
sales@haklift.com
+358 2 511 5511

© November 2026 - All Rights Reserved

Electric-hydraulic lifting tables 400V

Haklift Oy
sales@haklift.com
+358 2 511 5511

© November 2026 - All Rights Reserved