Swivel Eye Bolt Codipro SEB UP UNC

Product information

The SEB lifting ring is a single swivel ring. Equipped with 2 pins that always guide it perfectly in the direction of the sling. It is specially designed for lifting, including rotating loads.

Features:

- Gradup steel ring that has a rotating range of 360°.
- Swivelling under load
- Safe alternative to C15 DIN 580 eye bolts.
- Torque key adaptor available on request.

... *Read more*

Material: High tensile steel
Marking: According to standard, CE-marked
Temperature range: -20°C up to +200°C
Standard: EN 1677-1
except grade/WLL

Safety factor: 5:1

Haklift Oy
sales@haklift.com
+358 2 511 5511

© September 2026 - All Rights Reserved

Swivel Eye Bolt Codipro SEB UP UNC

Blueprint



Technical data / Spare Parts

Part code	WLL ton	Thread Inch	A mm	B mm	C mm	D mm	L1 mm	S mm	X mm	Weight kg
NS8RUNC3/8SEB	0.54	3/8 -16	30	34	60	57	17	6	20	0.24
NS8RUNC1/2SEB	0.81	1/2 -13	30	34	60	57	21	6	20	0.24
NS8RUNC5/8SEB	1.45	5/8 -11	38	45	88	80	27	8	35	0.8
NS8RUNC3/4SEB	2.15	3/4 -10	38	45	88	80	30	8	35	0.8
NS8RUNC1SEB	3.4	1 -8	58	70	115	106	36	14	50	2.6
NS8RUNC11/4SEB	5.53	1 1/4 -7	58	70	115	106	45	14	70	2.8
NS8RUNC11/2SEB	9.07	1 1/2 -6	83	94	168	155	62	14	70	7
NS8RUNC2SEB	14.96	2 -4.5	83	94	168	155	70	19	70	7.3

Haklift Oy
sales@haklift.com
+358 2 511 5511

© September 2026 - All Rights Reserved