

Hot dip galvanized liftable self dumping bins



Produktinformation

The liftable hot dip galvanized self dumping bin is an excellent, extremely durable and sturdy tool for the construction industry. Hot-dip galvanized containers withstand weather variations well and have a long service life. It is suitable for handling various building materials, such as sand, gravel, demolition waste and other loose materials. The container is equipped with an easy-to-use automatic tipping function.

The emptying process is as follows: the lifting arm is pulled back and then lifted slightly upwards, allowing the container to be tipped. The reverse movement returns the container to a horizontal position, ready for the next lifting and filling cycle.

The container is available in several different sizes and volumes. Volumes range from 200 to 8000 liters and lifting capacities from 0.4 to 16 tons.

Märkning: CE-märkning

Art.nr	Max last (WLL) ton	Volume liter	A mm	B, mm	C, mm	D mm	E, mm	F, mm	G, mm	Vikt kg	Ca. levtid (arbetsdagar)
KKNOS200K	0,4	200	800	1 000	850	480	370	250	780	60	56
KKNOS350K	0,7	350	980	1 180	950	540	460	350	880	85	56
KKNOS500K	1	500	1 080	1 280	1 050	600	500	380	980	100	56
KKNOS800K	1,6	800	1 240	1 520	1 160	760	620	350	1 080	125	56
KKNOS1000K	2	1 000	1 360	1 680	1 380	860	660	400	1 280	190	56
KKNOS1500K	3	1 500	1 370	1 700	1 430	860	860	640	1 340	210	56
KKNOS2000K	4	2 000	1 518	1 970	1 612	946	840	530	1 412	550	56
KKNOS3000K	6	3 000	1 625	2 146	1 962	1 006	900	580	1 762	670	56
KKNOS4000K	8	4 000	2 036	2 551	2 268	1 130	1 011	710	2 062	1 150	56
KKNOS6000K	12	6 000	2 416	2 830	2 272	1 436	1 330	880	2 066	1 600	56
KKNOS8000K	16	8 000	2 743	3 425	2 269	1 736	1 610	1 072	2 066	2 700	56

Ritning & mått

