



## Liftable self dumping bins

### Produktinformation

The liftable self dumping bin is an excellent, extremely durable and sturdy tool for the construction industry. It is suitable for handling various building materials, such as sand, gravel, demolition waste and other loose materials. The container is equipped with an easy-to-use automatic tipping function.

The emptying process is as follows: the lifting arm is pulled back and then lifted slightly upwards, allowing the container to be tipped. The reverse movement returns the container to a horizontal position, ready for the next lifting and filling cycle.

The container is available in several different sizes and volumes. Volumes range from 200 to 8000 liters and lifting capacities from 0.4 to 16 tons.

Art.nr	Max last (WLL) ton	Volume liter	Amm mm	B mm	C mm	Dmm mm	E mm	F mm	G, mm	Vikt kg	Ca. levtid (arbetsdagar)
KKNOS200	0,4	200	800	1 000	850	480	370	250	780	60	56
KKNOS350	0,7	350	980	1 180	950	540	460	350	880	85	56
KKNOS500	1	500	1 080	1 280	1 050	600	500	380	980	100	56
KKNOS800	1,6	800	1 240	1 520	1 160	760	620	350	1 080	125	56
KKNOS1000	2	1 000	1 360	1 680	1 380	860	660	400	1 280	190	56
KKNOS1500	3	1 500	1 370	1 700	1 430	860	860	640	1 340	210	1
KKNOS2000	4	2 000	1 518	1 970	1 612	946	840	530	1 412	550	56
KKNOS3000	6	3 000	1 625	2 146	1 962	1 006	900	580	1 762	670	56
KKNOS4000	8	4 000	2 036	2 551	2 268	1 130	1 011	710	2 062	1 150	56
KKNOS6000	12	6 000	2 416	2 830	2 272	1 436	1 330	880	2 066	1 600	56
KKNOS8000	16	8 000	2 743	3 425	2 269	1 736	1 610	1 072	2 066	2 700	56

## Ritning & mått

