

Electro galvanized shackles DIN 82101

Produktinformation

Electro galvanized shackles approved for lifting.

Märkning: CE-märkning

Säkerhetsfaktor: 5:1



Art.nr	Max last (WLL) ton	Förpackning	d4 mm mm	b1 mm mm	d1 mm mm	d2 mm mm	h1mm mm	Vikt kg	Ca. levtid (arbetsdagar)
SAKD0100	0,1	50	5	7	4	5	15	0,017	1
SAKD0160	0,16	50	6	8	5	6	18	0,024	1
SAKD0250	0,25	50	8	11	7	8	24	0,054	1
SAKD0400	0,4	25	10	14	8	10	30	0,097	1
SAKD0630	0,6	25	12	17	10	12	36	0,18	1
SAKD1000	1	25	16	21	13	15	49	0,3	1
SAKD1600	1,6	25	20	27	17	19	61	0,57	1
SAKD2000	2	1	22	30	19	21	67	0,98	1
SAKD2500	2,5	1	24	33	21	23	73	1,3	1
SAKD3150	3	1	27	38	24	26	84	1,85	1
SAKD4000	4	1	30	42	27	29	91	2,53	1
SAKD5000	5	1	36	47	30	33	111	4	17
SAKD8000	8	1	45	60	38	41	140	7,9	7
SAKD10000	10	1	48	66	42	45	147	10	17
SAKD16000	16	1	60	81	52	55	185	19,2	7
SAKD20000	20	1	68	90	58	60	211	28	7

Ritning & mått

